Second life feathers

ART. DIANA

50% Piuma Struzzo – 50% PA	50% Ostrich Feathers – 50% PA
Tariffa Doganale Marabout: 6701.0000.000 Tariffa Doganale PA: 54024500	Custom code Marabout: 6701.0000.000 Custom code PA: 54024500
UTILIZZO: macchine rettilinee finezza 3/5 TITOLO: NM 16.000 TIPO DI TINTURA: in matasse MINIMO DI TINTURA: mt. 2000/kg. 0,8 COLORE A CAMPIONE: si, minimo 500 mt (supplemento di 50€) CONFEZIONE: rocche da 2000 mt (0,125 kg ca). Multipli senza supplemento. **Questo articolo è pensato per essere abbinato ad altri filati e lavorato su finezze 3/5 in quanto il filamento di piuma potrebbe incastrarsi in aghi di finezza maggiore.**	KNITTING: flat machine 3/5 SIZING: NM 16.000 DYEING: hank dyed DYEING MINIMUM: mt. 2000/kg. 0,8 SAMPLE COLOUR: yes, minimum 500 mt (surcharge of 50€) MAKE UP: 2000 metres cones (about 0,125 kg). Multiples without surcharge. **This article is designed to be combined with other yarns and knitted on gauge 3/5 machines, as the feathers may be caught in finer-gauge needles.**
SIMBOLOGIA INTERNAZIONALE DI MANUTENZIONE	**GARMENT CARE INTERNATIONAL SYMBOLOGY**
	

SOLIDITÀ COLORE

Solidità Color fastness	**Lavaggio acqua Water washing**		**Lavaggio secco Dry cleaning**		**Sudore acido Acid perspiration**		**Sudore alcalino Alkaline perspiration**		**Sfregamento secco Dry rubbing**	**Sfregamento umido Wet rubbing**	**Luce Light**
Normative	ISO 105 C06		ISO 105 D01		ISO 105 E04		ISO 105 E04		ISO 105 X12	ISO 105 X12	ISO 105 B02
	Degrad.	Discharge	Degrad.	Discharge	Degrad.	Discharge	Degrad.	Discharge	Discharge	Discharge	Discharge
Light colour	4/5	3	4/5	3/4	4/5	3	4/5	3	3	4	>4
Dark colour	4/5	2	4/5	2/3	4/5	2	4/5	2	2	3/4	>4

COLOUR FASTNESS

Tolleranza scarto: 5%	Waste: 5%
CONSIGLI E AVVERTIMENTI: - Lavorare a bassa velocità di macchina rettilinea per sollecitare meno possibile il filato. - Non alimentare il filo, passare fuori dall'alimentatore di guidafilo. - All'occorrenza, utilizzare il beccuccio di finezza 3 sulle macchine di finezza 5. - Dopo la lavorazione, lavare a secco il capo e asciugare in tumbler per permettere alla piuma di riaprirsi. - Trattandosi di materiale naturale, le piume possono reagire alla tintura in maniera tale da creare piccole screziature di colore che diventano prerogativa di questa materia prima. - Lavare in rete di poliestere per evitare che le piume si incastrino nei fori del cestello.	IMPORTANT ADVICE: - Work at low speed on knitting machines to minimize stress on the yarn. - Do not let the yarn pass through the thread-guide power supply. - If needed, use a gauge 3 thread-guide nozzle on a gauge 5 flat machine. - After processing, dry clean the garment and tumble dry to allow the feathers to reopen. - Due to their natural characteristics, feathers absorb dye in different ways, creating small color nuances that are a feature of this raw material. - Wash in a polyester laundry bag to protect the feathers from getting caught in the washing machine holes.